

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

{wherein A<sup>1</sup> is a (C<sub>1</sub>-C<sub>8</sub>)alkylene group; a substituted (C<sub>1</sub>-C<sub>8</sub>) alkylene group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups and phenyl group; a (C<sub>3</sub>-C<sub>8</sub>)-alkenylene group; a substituted (C<sub>3</sub>-C<sub>8</sub>)alkenylene group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, (C<sub>1</sub>-C<sub>6</sub>)-alkylthio(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups and phenyl group; a (C<sub>3</sub>-C<sub>8</sub>)alkynylene group; or a substituted (C<sub>3</sub>-C<sub>8</sub>)alkynylene group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)-alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups and phenyl group;

in the (C<sub>1</sub>-C<sub>8</sub>)alkylene group, the substituted (C<sub>1</sub>-C<sub>8</sub>) alkylene group, the (C<sub>3</sub>-C<sub>8</sub>)alkenylene group, the substituted (C<sub>3</sub>-C<sub>8</sub>) alkenylene group, the (C<sub>3</sub>-C<sub>8</sub>)-alkynylene group or the substituted (C<sub>3</sub>-C<sub>8</sub>)alkynylene group, any saturated carbon atom may be substituted with a (C<sub>2</sub>-C<sub>5</sub>)alkylene group to form a (C<sub>3</sub>-C<sub>6</sub>)cycloalkane

ring; further in the (C<sub>1</sub>-C<sub>8</sub>)alkylene group, the substituted (C<sub>1</sub>-C<sub>8</sub>) alkylene group, the (C<sub>3</sub>-C<sub>8</sub>)alkenylene group or the substituted (C<sub>3</sub>-C<sub>8</sub>) alkenylene group, any two carbon atoms may be combined with an alkylene group or an alkenylene group to form a (C<sub>3</sub>-C<sub>6</sub>)cycloalkane ring or a (C<sub>3</sub>-C<sub>6</sub>)cycloalkene ring;

B is -C(=N-OR<sup>4</sup>)- (wherein R<sup>4</sup> is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a phenyl(C<sub>1</sub>-C<sub>4</sub>)alkyl group; or a substituted phenyl(C<sub>1</sub>-C<sub>4</sub>)alkyl group having, on the ring, one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups);

R<sup>1</sup> is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>2</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>2</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a (C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino group; a di(C<sub>1</sub>-C<sub>6</sub>)alkylamino group wherein the two alkyl groups may be the same or different; a phenyl group; a substituted phenyl group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups,

halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups; a phenylamino group; a substituted phenylamino group having, on the ring, one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a phenyloxy group; a substituted phenyloxy group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups; a phenylthio group; a substituted phenylthio group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups; a heterocyclic group; or a

substituted heterocyclic group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups;

R<sup>1</sup> may bond with A<sup>1</sup> to form a 4- to 7-membered ring which may contain, as a ring-constituting atom(s), one or two same or different atoms selected from oxygen, sulfur and nitrogen atoms;

R<sup>2</sup> and R<sup>3</sup> may be the same or different and are each a hydrogen atom, a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group or -A<sup>2</sup>-R<sup>5</sup> [wherein A<sup>2</sup> is -C(=O)-, -C(=S)-, -C(=NR<sup>6</sup>)- (wherein R<sup>6</sup> is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino group; a di(C<sub>1</sub>-C<sub>6</sub>)alkylamino group wherein the two alkyl groups may be the same or different; a (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl group; a phenyl group; or a substituted phenyl group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups), a (C<sub>1</sub>-C<sub>8</sub>)alkylene group, a halo(C<sub>1</sub>-C<sub>8</sub>)alkylene group, a (C<sub>3</sub>-C<sub>6</sub>)alkenylene group, a halo(C<sub>3</sub>-C<sub>6</sub>)alkenylene group, a (C<sub>3</sub>-C<sub>6</sub>)alkynylene group or a halo(C<sub>3</sub>-C<sub>6</sub>)alkynylene group;

(1) when A<sup>2</sup> is -C(=O)-, -C(=S)- or -C(=NR<sup>6</sup>)- (wherein R<sup>6</sup> has the same definition as given above), R<sup>5</sup> is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)-alkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a phenyl group; a substituted phenyl group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups; or -A<sup>3</sup>-R<sup>7</sup> (wherein A<sup>3</sup> is -O-, -S- or -N(R<sup>8</sup>)- (wherein R<sup>8</sup> is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)-alkylcarbonyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylcarbonyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl group; a phenylcarbonyl group; a substituted phenylcarbonyl group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl

groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups; a phenyl(C<sub>1</sub>-C<sub>4</sub>)alkoxycarbonyl group; or a substituted phenyl(C<sub>1</sub>-C<sub>4</sub>)alkoxycarbonyl group having, on the ring, one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups); and R<sup>7</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkylcarbonyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylcarbonyl group; a (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl group; a phenyl group; a substituted phenyl group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a phenyl(C<sub>1</sub>-C<sub>4</sub>)alkyl group; a substituted phenyl(C<sub>1</sub>-C<sub>4</sub>)alkyl group having, on the ring, one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy

groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups);

(2) when A<sup>2</sup> is a (C<sub>1</sub>-C<sub>8</sub>)alkylene group, a halo(C<sub>1</sub>-C<sub>8</sub>)alkylene group, a (C<sub>3</sub>-C<sub>6</sub>)alkenylene group, a halo(C<sub>3</sub>-C<sub>6</sub>)alkenylene group, a (C<sub>3</sub>-C<sub>6</sub>)alkynylene group or a halo(C<sub>3</sub>-C<sub>6</sub>)alkynylene group, R<sup>5</sup> is a hydrogen atom; a halogen atom; a cyano group; a nitro group; a (C<sub>3</sub>-C<sub>6</sub>)-cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl group; a phenyl group; a substituted phenyl group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more same or different substituents selected from



halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; or -A<sup>4</sup>-R<sup>9</sup> (wherein A<sup>4</sup> is -O-, -S-, -SO-, -SO<sub>2</sub>-, -N(R<sup>8</sup>)- (R<sup>8</sup> has the same definition as given above), -C(=O)- or -C(=NOR<sup>4</sup>)- (R<sup>4</sup> has the same definition as given above);

(i) when A<sup>4</sup> is -O-, -S-, -SO-, -SO<sub>2</sub>- or -N(R<sup>8</sup>)- (R<sup>8</sup> has the same definition as given above), R<sup>9</sup> is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkylcarbonyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylcarbonyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl group; a phenyl group; a substituted phenyl group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a phenyl(C<sub>1</sub>-C<sub>4</sub>)alkyl group; a substituted phenyl(C<sub>1</sub>-C<sub>4</sub>)alkyl group having, on the ring, one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy

groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups;

(ii) when A<sup>4</sup> is -C(=O)- or -C(=N-OR<sup>4</sup>)- (R<sup>4</sup> has the same definition as

given above), R<sup>9</sup> is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>2</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>2</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a (C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino group; a di(C<sub>1</sub>-C<sub>6</sub>)alkylamino group wherein the two alkyl groups may be the same or different; a phenyl group; a substituted phenyl group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different,

and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a phenylamino group; a substituted phenylamino group having, on the ring, one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a phenoxy group; a substituted phenoxy group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a phenylthio group; a substituted phenylthio group having, on the ring, one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl

groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups)];

R<sup>2</sup> may bond with A<sup>1</sup> or R<sup>1</sup> to form a 4- to 7-membered ring which may contain, as a ring-constituting atom(s), one or two same or different atoms selected from oxygen, sulfur and nitrogen atoms;

Q<sup>1</sup> to Q<sup>4</sup> may be the same or different and are each a nitrogen atom or a carbon atom which may be substituted with X, and X may be the same or different, and is a halogen atom; a cyano group; a nitro group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl group; a phenyl group; a substituted phenyl group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino

groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups; or -A<sup>5</sup>-R<sup>10</sup> [wherein A<sup>5</sup> is -O-, -S-, -SO-, -SO<sub>2</sub>-, -C(=O)-, -C(=NOR<sup>4</sup>)- (R<sup>4</sup> has the same definition as given above), a (C<sub>1</sub>-C<sub>6</sub>)alkylene group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a halo(C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a C<sub>2</sub>-C<sub>6</sub>alkynylene group or a halo(C<sub>2</sub>-C<sub>6</sub>)alkynylene group;

(1) when A<sup>5</sup> is -O-, -S-, -SO- or -SO<sub>2</sub>-, R<sup>10</sup> is a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkenyl group; a phenyl group; a substituted phenyl group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)-alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)-alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; or -A<sup>6</sup>-R<sup>11</sup> (wherein A<sup>6</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkylene group, a halo(C<sub>1</sub>-C<sub>6</sub>)-alkylene group, a (C<sub>3</sub>-C<sub>6</sub>)alkenylene group, a halo(C<sub>3</sub>-C<sub>6</sub>)-alkenylene group, a (C<sub>3</sub>-C<sub>6</sub>)alkynylene group or a halo(C<sub>3</sub>-C<sub>6</sub>)alkynylene group, and R<sup>11</sup> is a hydrogen atom; a halogen atom; a (C<sub>3</sub>-

C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)-cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl group; a phenyl group; a substituted phenyl group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; or -A<sup>7</sup>-R<sup>12</sup> (wherein A<sup>7</sup> is

-O-, -S-, -SO- or -SO<sub>2</sub>-, and R<sup>12</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a phenyl group; a substituted phenyl group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-

C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups));

(2) when A<sup>5</sup> is -C(=O)- or -C(=NOR<sup>4</sup>)- (R<sup>4</sup> has the same definition as given above), R<sup>10</sup> is a (C<sub>1</sub>-C<sub>6</sub>)-alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>2</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>2</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a (C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino group; a di(C<sub>1</sub>-C<sub>6</sub>)alkylamino group wherein the two alkyl groups may be the same or different; a phenyl group; a substituted phenyl group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups; a phenylamino group; a substituted phenylamino group having, on the ring, one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)-alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy

groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups;

(3) when A<sup>5</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkylene group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a halo(C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkynylene group or a halo(C<sub>2</sub>-C<sub>6</sub>)alkynylene group, R<sup>10</sup> is a hydrogen atom; a halogen atom; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl group; a phenyl group; a substituted phenyl group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups; or -A<sup>8</sup>-R<sup>13</sup> (wherein A<sup>8</sup> is -O-,



-S-, -SO- or -SO<sub>2</sub>-, and R<sup>13</sup> is a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a phenyl group; a substituted phenyl group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; or -A<sup>9</sup>-R<sup>14</sup> (wherein A<sup>9</sup> is a (C<sub>1</sub>-C<sub>6</sub>)alkylene group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a halo(C<sub>2</sub>-C<sub>6</sub>)alkenylene group, a (C<sub>2</sub>-C<sub>6</sub>)alkynylene group or a halo(C<sub>3</sub>-C<sub>5</sub>)alkynylene group, and R<sup>14</sup> is a hydrogen atom; a halogen atom; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a (C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl group; a phenyl group; a substituted phenyl group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl

groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)-alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)-alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a phenyloxy group; a substituted phenyloxy group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)-alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a phenylthio group; a substituted phenylthio group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-

C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups));

the two Xs bonding to the adjacent two carbon atoms constituting the aromatic ring containing Q<sup>1</sup> to Q<sup>4</sup> may bond to each other to form a condensed ring; the condensed ring may have one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups;

Q<sup>5</sup> is a nitrogen atom or a carbon atom;

Y may be the same or different, and is a halogen atom; a cyano group; a nitro group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a phenyl group; a substituted phenyl group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups,

D1

C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups;

01 m is an integer of 0 to 5;

Z<sup>1</sup> and Z<sup>2</sup> may be the same or different and are each an oxygen atom or a sulfur atom.

---

02 Claim 2. (Amended) An aromatic diamide compound or a salt thereof according to claim 1, wherein A<sup>1</sup> is a (C<sub>1</sub>-C<sub>8</sub>)alkylene group; a substituted (C<sub>1</sub>-C<sub>8</sub>) alkylene group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups and phenyl group; a (C<sub>3</sub>-C<sub>8</sub>)alkenylene group; a substituted (C<sub>3</sub>-C<sub>8</sub>)alkenylene group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)-alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups and phenyl group; a (C<sub>3</sub>-C<sub>8</sub>)alkynylene group; or a substituted (C<sub>3</sub>-C<sub>8</sub>)alkynylene group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-

C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfonyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups and phenyl group;

in the (C<sub>1</sub>-C<sub>8</sub>)alkylene group, the substituted (C<sub>1</sub>-C<sub>8</sub>)alkylene group, the (C<sub>3</sub>-C<sub>8</sub>)alkenylene group, the substituted (C<sub>3</sub>-C<sub>8</sub>)alkenylene group, the (C<sub>3</sub>-C<sub>8</sub>)-alkynylene group or the substituted (C<sub>3</sub>-C<sub>8</sub>)alkynylene group, any saturated carbon atom may be substituted with a (C<sub>2</sub>-C<sub>5</sub>)alkylene group to form a (C<sub>3</sub>-C<sub>6</sub>)cycloalkane ring; further in the (C<sub>1</sub>-C<sub>8</sub>)alkylene group, the substituted (C<sub>1</sub>-C<sub>8</sub>) alkylene group, the (C<sub>3</sub>-C<sub>8</sub>)alkenylene group or the substituted (C<sub>3</sub>-C<sub>8</sub>) alkenylene group, any two carbon atoms may be combined with an alkylene group or an alkenylene group to form a (C<sub>3</sub>-C<sub>6</sub>)cycloalkane ring or a (C<sub>3</sub>-C<sub>6</sub>)cycloalkene ring;

B is -C(=N-OR<sup>4</sup>)- (wherein R<sup>4</sup> is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a phenyl(C<sub>1</sub>-C<sub>4</sub>)alkyl group; or a substituted phenyl(C<sub>1</sub>-C<sub>4</sub>)alkyl group having, on the ring, one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups);

R<sup>1</sup> is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>2</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>2</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a

halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a (C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino group; a di(C<sub>1</sub>-C<sub>6</sub>)alkylamino group wherein the two alkyl groups may be the same or different; a phenyl group; a substituted phenyl group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups; a phenylamino group; a substituted phenylamino group having, on the ring, one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)-alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a phenyloxy group; a substituted phenyloxy group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-

alkoxycarbonyl groups; a phenylthio group; a substituted phenylthio group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups;

R<sup>1</sup> may bond with A<sup>1</sup> to form a 4- to 7-membered ring which may contain, as a ring-constituting atom(s), one or two same or different atoms selected from oxygen, sulfur and nitrogen atoms;

R<sup>2</sup> and R<sup>3</sup> may be the same or different and are each a hydrogen atom or a (C<sub>1</sub>-C<sub>6</sub>)alkyl group;

Q<sup>1</sup> to Q<sup>4</sup> may be the same or different and are each a nitrogen atom or a carbon atom which may be substituted with X; X may be the same or different, and is a halogen atom, a nitro group, a (C<sub>1</sub>-C<sub>6</sub>)alkyl group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group, a (C<sub>2</sub>-C<sub>6</sub>)alkenyl group, a halo(C<sub>2</sub>-C<sub>6</sub>)alkenyl group, a (C<sub>2</sub>-C<sub>6</sub>)alkynyl group, a



halo(C<sub>2</sub>-C<sub>6</sub>)alkynyl group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy group or a halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio group; the two Xs bonding to the adjacent two carbon atoms constituting the aromatic ring containing Q<sup>1</sup> to Q<sup>4</sup> may bond to each other to form a condensed ring; the condensed ring may have one or more same or different substituents selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfonyl groups;

Q<sup>5</sup> is a nitrogen atom or a carbon atom;

Y may be the same or different when it is more than one, and is a halogen atom; a cyano group; a nitro group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a phenyl group; a substituted phenyl group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)-alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a heterocyclic group; a substituted heterocyclic group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-

alkoxycarbonyl groups; or  $-A^5-R^{10}$  ( $A^5$  and  $R^{10}$  each have the same definition as given in claim 1);

the two Ys bonding to the adjacent two carbon atoms constituting the aromatic ring containing  $Q^5$  may bond to each other to form a condensed ring; the condensed ring may have one or more same or different substituents selected from halogen atoms,  $(C_1-C_6)$ alkyl groups, halo( $C_1-C_6$ )alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo( $C_1-C_6$ )alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo( $C_1-C_6$ )alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo( $C_1-C_6$ )alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups, halo( $C_1-C_6$ )alkylsulfonyl groups, phenyl group, substituted phenyl groups having one or more same or different substituents selected from halogen atoms, cyano group, nitro group,  $(C_1-C_6)$ alkyl groups, halo( $C_1-C_6$ )alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo( $C_1-C_6$ )alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo( $C_1-C_6$ )alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo( $C_1-C_6$ )-alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups, halo( $C_1-C_6$ )alkylsulfonyl groups, mono( $C_1-C_6$ )alkylamino groups, di( $C_1-C_6$ )alkylamino groups wherein the two alkyl groups may be the same or different, and  $(C_1-C_6)$ -alkoxycarbonyl groups, heterocyclic groups, and substituted heterocyclic groups having one or more same or different substituents selected from halogen atoms, cyano group, nitro group,  $(C_1-C_6)$ alkyl groups, halo( $C_1-C_6$ )alkyl groups,  $(C_1-C_6)$ alkoxy groups, halo( $C_1-C_6$ )alkoxy groups,  $(C_1-C_6)$ alkylthio groups, halo( $C_1-C_6$ )alkylthio groups,  $(C_1-C_6)$ alkylsulfinyl groups, halo( $C_1-C_6$ )-alkylsulfinyl groups,  $(C_1-C_6)$ alkylsulfonyl groups, halo( $C_1-C_6$ )alkylsulfonyl groups, mono( $C_1-C_6$ )alkylamino groups, di( $C_1-C_6$ )alkylamino groups wherein the two alkyl groups may be the same or different, and  $(C_1-C_6)$ -alkoxycarbonyl groups;

m is an integer of 0 to 5;

Z<sup>1</sup> and Z<sup>2</sup> are each an oxygen atom.

Claim 3. (Amended) An aromatic diamide compound or a salt thereof according to claim 2, wherein A<sup>1</sup> is a (C<sub>1</sub>-C<sub>8</sub>)-alkylene group; a substituted (C<sub>1</sub>-C<sub>8</sub>) alkylene group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, (C<sub>1</sub>-C<sub>6</sub>)-alkylthio(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups and phenyl group; a (C<sub>3</sub>-C<sub>8</sub>)alkenylene group; a substituted (C<sub>3</sub>-C<sub>8</sub>)alkenylene group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfonyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups and phenyl group; a (C<sub>3</sub>-C<sub>8</sub>)alkynylene group; or a substituted (C<sub>3</sub>-C<sub>8</sub>)alkynylene group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups and phenyl group;

in the (C<sub>1</sub>-C<sub>8</sub>)alkylene group, the substituted (C<sub>1</sub>-C<sub>8</sub>)alkylene group, the (C<sub>3</sub>-C<sub>8</sub>)alkenylene group, the substituted (C<sub>3</sub>-C<sub>8</sub>) alkenylene group, the (C<sub>3</sub>-C<sub>8</sub>)alkynylene group or the substituted (C<sub>3</sub>-C<sub>8</sub>)alkynylene group, any saturated carbon atom may be substituted with a (C<sub>2</sub>-C<sub>5</sub>)alkylene group to form a (C<sub>3</sub>-C<sub>6</sub>)cycloalkane ring; further in the (C<sub>1</sub>-C<sub>8</sub>)alkylene group, the substituted (C<sub>1</sub>-C<sub>8</sub>) alkylene group, the (C<sub>3</sub>-C<sub>8</sub>)alkenylene group or the substituted (C<sub>3</sub>-C<sub>8</sub>) alkenylene group, any two carbon atoms may be combined with an alkylene group or an alkenylene group to form a (C<sub>3</sub>-C<sub>6</sub>)cycloalkane ring or a (C<sub>3</sub>-C<sub>6</sub>)cycloalkene ring;

0<sup>2</sup> B is -C(=N-OR<sup>4</sup>)- (wherein R<sup>4</sup> is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)alkynyl group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a phenyl(C<sub>1</sub>-C<sub>4</sub>)alkyl group; or a substituted phenyl(C<sub>1</sub>-C<sub>4</sub>)alkyl group having, on the ring, one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups);

R<sup>1</sup> is a hydrogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>2</sub>-C<sub>6</sub>)alkenyl group; a halo(C<sub>2</sub>-C<sub>6</sub>)alkenyl group; a (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a (C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino group; a di(C<sub>1</sub>-C<sub>6</sub>)alkylamino group wherein the two alkyl groups may be the same or different; a phenyl group; a substituted phenyl group having one or more same

or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups; a phenylamino group; a substituted phenylamino group having, on the ring, one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)-alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)alkoxycarbonyl groups; a phenoxy group; a substituted phenoxy group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups; a phenylthio group; a substituted phenylthio group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio

groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups; a heterocyclic group; or a substituted heterocyclic group having one or more same or different substituents selected from halogen atoms, cyano group, nitro group, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)-alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups, mono(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino groups wherein the two alkyl groups may be the same or different, and (C<sub>1</sub>-C<sub>6</sub>)-alkoxycarbonyl groups;

R<sup>1</sup> may bond with A<sup>1</sup> to form a 4- to 7-membered ring which may contain, as a ring-constituting atom(s), one or two same or different atoms selected from oxygen, sulfur and nitrogen atoms;

R<sup>2</sup> and R<sup>3</sup> may be the same or different and are each a hydrogen atom or a (C<sub>1</sub>-C<sub>6</sub>)alkyl group;

Q<sup>1</sup> to Q<sup>4</sup> may be the same or different and are each a carbon atom which may be substituted with X; X may be the same or different when it is more than one, and is a halogen atom, a nitro group, a (C<sub>1</sub>-C<sub>6</sub>)alkyl group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group, a (C<sub>2</sub>-C<sub>6</sub>)alkenyl group, a halo(C<sub>2</sub>-C<sub>6</sub>)alkenyl group, a (C<sub>2</sub>-C<sub>6</sub>)alkynyl group, a halo(C<sub>2</sub>-C<sub>6</sub>)alkynyl group, a halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy group or a halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio group; the two Xs bonding to the adjacent two carbon atoms constituting the aromatic ring containing Q<sup>1</sup> to Q<sup>4</sup> may bond to each other to form a condensed ring; the condensed ring may have one or more same or different

substituents selected from halogen atoms, (C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, (C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups, (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups;

Q<sup>5</sup> is a nitrogen atom or a carbon atom;

Y may be the same or different when it is more than one, and is a halogen atom; a (C<sub>1</sub>-C<sub>6</sub>)alkyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a (C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio group; a (C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl group; a (C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl group; a halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy group; a phenyl group; a substituted phenyl group having one or more same or different substituents selected from halogen atoms, cyano group, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a phenyloxy group; a substituted phenyloxy group having one or more same or different substituents selected from halogen atoms, cyano group, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups; a pyridyloxy group; or a substituted pyridyloxy group having one or more same or different substituents selected from halogen atoms, cyano group, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylthio groups, halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfinyl groups and halo(C<sub>1</sub>-C<sub>6</sub>)alkylsulfonyl groups;

the two Ys bonding to the adjacent two carbon atoms constituting the aromatic ring containing Q<sup>5</sup> may bond to each other to form a condensed ring; the condensed ring may have one or more same or different substituents selected from